



FIG. 2





ngownnas nigos

FIG. 4





FIG. 5









FIG. 8 START 802 IN RESPONSE TO THE REDUEST, SELECT AND RETRIEVE RULES FROM THE DATABASE 804 EXECUTE THE RULES TO RETRIEVE DATA 806 BUILD PRESENTATION DATA USING THE DATA 808 SEND PRESENTATION DATA FOR BENERATION OF THE PRESENTATION eno




PAGE = "NAVIGATION" TYPE







F16,12


PAGE = "LIST" TYPE








......tominidading.....








Marries 2000		
NO ALERT CO	and Million 1	data item information
		( informatio
A STATE OF THE PARTY INVESTIGATION OF THE PARTY	A Proposed State of the State o	
·		
	Empart for agn	/
		Image
		( Import
No Prioto		
Availatria		<b>J</b>
5000 WAL	The second secon	
The last of the la		The same of the sa


V III		Z data information
	TEXAS BACK SHITTIVES  Plane  TEXAS BACK SHITTIVES  Plane  Texas and format from the texas of the	Progress NOTE TOP  (USER Defined)
	AND THE PARTY OF T	} audio
	S time Bar- ES S S  S Street  S plant  S plan	(user DEFined)

Variable	3 PATIENT INFORMATION
FORM	PATIENT
	(user Defined)
The state of the s	
	Image Capture











grand and a constraint to the transfer of the transfer of the contract of the

Color for the conservation of the contract of the color o







query the database for the sequence identification

query the database for the sequence page information retrieving labels

2808

2806

2802

. . . . . .

is there another sequence to process


format the data frame information into the List>

2812


A

ď.

submout inclair



Trens inne, the target of the trens of the t



ij

FIG. 31

Function LoadDataItem

query the database to determine the data table associated with this data item ID

3102

Retrieve the following values from the above query:

DataT able

The table where the data is located

DataType

The ID that defines what type of data is being loaded

(This is a lookup value in table data\_types)

Open the appropriate table to read the data


13106


Read the data from the opened table and store the values in collection List

Execute Data Load Rule for this particular data type (if one exists). Values retrieved from the Data Load Rule are added to the List collection.

Assign the values in List

Return








FIG. 36




FIG. 37

Alert icon-flash & sound

